

Trade Catalogue 2023



Uniquely connecting you to
construction products brands

Gyproc® | Thistle® | Easifix | Artex | Blue Hawk | Weber



















01 | Contents

Gyproc®, Blue Hawk®, Artex®, Thistle® and Easifix® are all registered trademarks of Saint-Gobain Construction Products UK Limited, part of the Saint-Gobain Group. FibaTape® is a registered trademark of Saint-Gobain ADFORS®. Weber is a UK registered trademark of Saint-Gobain Weber.

Artex Limited is a limited company registered in England under company number 04140239, having its registered office at Saint-Gobain House, East Leake, Loughborough, Leicestershire, LE12 6JU. The owner of the trademarks has consented to their use by Artex Limited.

The information in this catalogue should not be read in isolation as it is meant only as guidance for the user, who should always ensure that they are fully conversant with the products and systems being used and their subsequent installation prior to the commencement of work.

	Our Service to You	Pages 4 - 15
	Filling and Repairing	Pages 16 - 21
	Taping and Jointing	Pages 22 - 27
	Plaster and Accessories	Pages 28 - 35
	Plasterboard and Ancillaries	Pages 36 - 44
	Cove and Accessories	Pages 46 - 51
	Texture	Pages 52 - 55
	Render	Pages 56 - 61
	Cement, Mortar and Concrete	Pages 62 - 65
	Roofing Felt	Pages 66 - 69
	Repair Kits	Pages 70 - 73
	Access Panels	Pages 74 - 77
	Tools	Pages 78 - 85
	Service Charter	Pages 86 - 93



02 | Our Service to You

Uniquely connecting you to construction products brands

Our service gives you the ability to choose from single pallets, or mixed pallet loads, through to small parcels, to help you order what you need when you need it. You can find out more in our 'Delivery Options' section.

Keep in Touch Pages 6

Delivery Options Pages 7

Vehicle Options Pages 8 - 9

Marketing Support Pages 10 - 11

Our Journey to a Greener Future Pages 12- 13

The House that Artex Built Pages 14 - 15



Our Service to You

Keep in Touch



Phone us

0800 032 6345

For orders, general enquiries and claims:
Monday to Friday 8am - 5pm

For delivery enquiries:
Monday to Friday 6am-8pm



Email

artexcustomerservice@saint-gobain.com



Address

Artex Limited, Head Office, Pasture Lane, Ruddington,
Nottinghamshire, NG11 6AE



Website

www.artextld.com

Connect with us



Artex Ltd



@ArtexLtd1



@ArtexLtd



@artex.limited



Artex Ltd

Our Service to You

Delivery Options

We offer a range of delivery options to match your needs. These are listed below. If you need any guidance on how to get the most from your order, speak to our Customer Service Team, who will be happy to help.



Full pallet delivery

A variety of products are available to order in full pallet quantities, including plasters, plasterboards and jointing materials.

These products are identified by the pallet icon.

	UK mainland	Islands ¹
Minimum order value	£375	£750
Delivery lead time	+4 working days	+7 working days
Lead time cut off	Orders placed before 4.00pm	Orders placed before 4.00pm



Mixed pallet delivery

For products available as a single unit or carton, you can mix and match onto a single pallet. These products are identified by the mixed pallet icon.

This includes almost all products except plasterboard and 25kg plasters.

	UK mainland	Islands ¹
Minimum order value	£375	£750
Delivery lead time	+4 working days	+7 working days
Lead time cut off	Orders placed before 4.00pm	Orders placed before 4.00pm



Gyproc Express delivery

Gyproc Express is an easy way to order a selected range of products, using our 48 hour parcel delivery service.

These products are identified by the parcel icon.

Products included

Access Panels; Convenience Plasters; Cove Adhesive; EasiFill and EasiFiller; Easifix Repair Kits; Hand Tools; Gyproc Joint Tapes; Plasterboard Patches; Thistle Convenience Plasters and ThistlePro Magnetic Plaster.

Minimum order value (at invoice price)	£100 carriage paid	
Max weight 200kg		
Delivery lead time weekends)	UK mainland 48 hours (excluding weekends)	Highlands and Islands ² Up to 72 hours (excluding
Lead time cut off	Orders placed before 1.00pm	Orders placed before 1.00pm

¹ Includes the Scottish Islands, Northern Ireland, Isle of Man and the Channel Islands.

² Includes the Scottish Highlands and Islands, Northern Ireland, Isle of Man and the Channel Islands.

Vehicle options

With our fleet of over 50 FORS³ accredited vehicles, we have significantly improved the reliability, flexibility and safety of our deliveries on the road and to your site. Furthermore, we have continued to be a front-runner in sustainable best practice by increasing our use of HVO (hydrogenated vegetable oil) rather than diesel across our vehicles.

To ensure we choose the right vehicle for your deliveries, we've highlighted the available options on the next page.

Self-offloading

If you're unable to self-offload, we can use a vehicle with a tail lift and pallet pump truck to offload on your behalf.

Access restrictions

If there are space and/or access restrictions getting to and on your site, we can send smaller vehicles to complete your delivery. Please let us know in advance of any orders.

When placing an order and providing delivery instructions, please note the following information will be required:

- Times and days that deliveries can be received
- If you require a delivery to be pre-booked
- Any special requests (e.g. if you need a smaller vehicle due to a low bridge nearby)

³ Fleet Operator Recognition Scheme.

The Artex Fleet

Artic lorry

Availability	Nationwide
Trailer length	13.6 metres
Trailer height	4.2 metres
Off-load	Customer required to off-load pallet with own forklift truck
Access	Large vehicle, suitable where there are no access restrictions



Urban artic lorry

Availability	Nationwide
Trailer length	10.8 metres
Trailer height	4.0 metres
Off-load	Driver can assist off-loading with pallet pump truck via rear tail-lift
Tail lift restrictions	Maximum weight is 750kg Maximum length is 2.5 metres
Access	For use with access and space limitations



Rigid lorry

Availability	Nationwide
Trailer length	9.1 metres
Trailer height	4.0 metres
Off-load	Driver can assist off-loading with pallet pump truck via rear tail-lift
Tail lift restrictions	Maximum weight is 750kg Maximum length is 2.5 metres
Access	For use with access and space limitations



MARKETING SUPPORT



START MAKING ALL THE RIGHT NOISES IN ALL THE RIGHT PLACES WITH ARTEX MARKETING SUPPORT.

Product training tools

We have several resources available to educate your staff and customers on the key uses and main benefits of our products. Our range of product videos are available on our YouTube channel which can also be requested as a hard copy from your account manager.

Visit our YouTube channel [here](#)

We can also provide printed or digital flyers for your staff and customers to help them learn more about our product range.



Artextltd.com

All of our contact details and product information are also available on our website, including the data sheets for our products.

Our Repair Hub and News page contain articles on a range of topics from Artex company news and product knowledge to market insight. Share these with your colleagues to gain a better understanding of our products and to keep up to date with the latest industry trends, and with your customers to help them learn about our products.

Visit our website [here](#)



Uniquely connecting you to construction products brands



POS and merchandising

We have a range of POS available from shelf strips and shelf wobblers to shelf trays.

Our Sales team are on hand to help you merchandise our products on shelf, please get in touch with your account manager to request POS and assistance.



OUR JOURNEY TO A GREENER FUTURE

We're committed to transitioning our distribution site in Nottinghamshire to be net-zero carbon by 2024, as well as achieving net-zero carbon by 2050 across our whole business. We're leading with several initiatives to reduce our environmental impact and increase the sustainability of our operations and the products we sell in line with our purpose of making the world a better home.

Hydrotreated vegetable oil lorries

We're transitioning our HGV fleet to run on hydrotreated vegetable oil (HVO) by the end of 2023. HVO is a biofuel that originates from vegetable oils and reduces CO² emissions by 90% compared to diesel. HVO also produces much cleaner emissions with fewer nitrous oxides, meaning improved air quality for our colleagues, customers and local community.

Moving to more eco-friendly packaging solutions

We're collaborating with our bag, film and tub manufacturers to reduce packaging wherever possible, switch to more recyclable solutions like paper and cardboard, and use at least 30% recycled plastic across primary, secondary and transport packaging. We're also improving the recycling and safe disposal information on our plastic packaging labels to make sure plastics that can be recycled are, and in a safe way. Clearer recycling information on pack informs users of how to dispose of product residues and recycle packaging safely, and our new eco stamp highlights where packaging has been made from recycled content.

Biomass heating system

2022 saw the installation of our biomass heating system which runs off wooden pellets to heat our warehouse, offices and hot water.

The renewable heating system is expected to reduce carbon emissions by 150 tonnes per year through decommission and removal of our previous diesel heating system and gas boilers.

Reduced plastic on site

As well as various recycling initiatives on site, we've replaced the plastic air packs in our Gyproc Express boxes with shredded cardboard produced from recycled cardboard on site. We've also rolled out sustainable PPE for our colleagues which is made from recycled plastic and are exploring ways to reduce plastic in our POS and merchandise.

Sustainability Action Group

Our sustainability initiatives are driven directly by our colleagues through our Sustainability Action Group. Including colleagues across all areas of our business, the group manages our annual sustainability budget, gathering ideas and suggestions from their peers and putting these into action. So far the group have introduced Sustainability Action Days where colleagues can take a day of paid leave to volunteer on a sustainable project in their local community, they've organised the installation of animal nesting boxes in our biodiversity area, and have built strong partnerships with our local community.



Biodiversity area

3.2 acres of our distribution site in Ruddington is dedicated to biodiversity, providing a natural habitat for local wildlife. We've planted over 4100 bulbs, 190 shrubs and 445 trees and continue to plant each year to sustain the habitat. Not only is it great for wildlife, our colleagues can also access this area to take a walk along the footpaths, have outdoor meetings or enjoy lunch on the picnic benches.



Recycled Packaging



Biomass



Gyproc Express
recycling




HVO trucks



Sustainability
group and nest
boxes

THE HOUSE THAT ARTEX BUILT

The House that Artex Built shows how some of our products can be applied in practice. There are plenty more across our portfolio. Browse the following pages for all Saint-Gobain products we can supply to you.





03 Filling and Repairing

Filling and Repairing

Pages 18 - 21

- Thistle Convenience Plasters 18
- Gyproc EasiFill Range 19
- Gyproc EasiFiller Range 20
- Accessories 21

Filling and Repairing

Thistle Convenience Plasters

Thistle convenience plasters are available in strong, water-resistant small bags to reduce damage and waste. All our Thistle convenience plaster bags are made from **50% recycled plastic**.



THISTLE UNDERCOAT PLASTER

- Internal base coat plaster for small plastering jobs
- Ideal for patch repairs or filling chases
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814639	7.5	SU	100	1
5200814644	12.5	SU	72	1



THISTLE FINISHING PLASTER

- Internal finish coat plaster for small plastering jobs
- Ideal for smaller repairs
- Use over Thistle Undercoat Plaster or plasterboard backgrounds
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814637	7.5	SF	100	1
5200814642	12.5	SF	72	1



THISTLE ONE COAT PLASTER

- Convenient undercoat and finishing plaster in one
- Ideal for patch repairs
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814638	7.5	SO	100	1
5200814643	12.5	SO	72	1



Filling and Repairing

Gyproc EasiFill

Our EasiFill 60 and EasiFill 20 5kg bags are made from **50% recycled plastic**. The plastic sachets inside our EasiFill 5x1kg and 1kg boxes are made from at least **30% recycled plastic**. All other EasiFill packaging is paper-based and **100% recyclable**.



GYPROC EASIFILL 60

- Powder filler, ideal for both bulk filling and finishing of joints
- 60 minutes working time
- The second coat can be applied after 130 minutes
- Conforms to EN 13963

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200572338	5	X7	200	1
5200572331	10	X7	80	1



GYPROC EASIFILL 45

- Powder filler, ideal for small jointing jobs
- 45 minutes working time
- The second coat can be applied after 90-120 minutes
- Conforms to EN 13963

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200572336	10	X7	80	1



GYPROC EASIFILL 20

- Powder filler, ideal for quick filling and snagging
- 20 minutes working time
- The second coat can be applied after 60 minutes

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200572347	5	X7	200	1
5200572343	10	X7	80	1



GYPROC EASIFILL

- Multi-purpose powder filler for patching and repair
- Ideal for snagging and filling holes and cracks prior to decoration
- Convenient 1kg sachets reduce wastage and maintain product shelf-life

Order code	Size (kg)	Discount group	Min. order qty.
5200616713	1	X7	6
5200616715	5 x 1	X7	1



Filling and Repairing Gyproc EasiFiller



GYPROC EASIFILLER

- Multi-purpose ready mixed filler for most internal repairs
- Quick and easy to apply
- Sands to a smooth, fine finish

Order code	Size (litre)	Discount group	Min. order qty.
5200854788	1	RR	6
5200854868	2.5	RR	1



GYPROC EASIFILLER LIGHT

- Ultra lightweight ready mixed filler for deep holes and cracks
- Low shrinkage with no slumping or cracking
- Easy to apply with no sanding needed

Order code	Size (litre)	Discount group	Min. order qty.
5200854874	1	RR	6
5200854875	2.5	RR	1



GYPROC EASIFILLER FINISH

- Extra fine ready mixed surface filler for skimming over large areas
- Quickly covers large areas of light surface damage
- Easy to apply and needs minimal sanding

Conforms to EN 15824

Order code	Size (litre)	Discount group	Min. order qty.
5200854876	3	RR	1



Coming in 2023

Our EasiFiller range will be moving from white to grey eco tubs, made from at least 30% recycled plastic.

In addition, our 1L EasiFiller and EasiFiller Light tubs will be changing from square shaped to round, reducing their weight by 9% and making them less liable to breakages.



Filling and Repairing Accessories



GYPROC EASIPATCH PLASTERBOARD PATCHES

- Pack of two self-adhesive plasterboard patches with aluminium plate and fibreglass mesh surround
- Permanent repair solution for holes and general damage to plasterboard and plastered surfaces
- Each patch will sufficiently cover a single socket or spotlight hole
- Plate size: 100mm x 100mm; full patch size including outer mesh: 150mm x 150mm

Order code	Size (mm)	Discount group	Min. order qty.
5200911776	100 x 100	PP	10



Easy as 1,2,3.

Apply Gyproc EasiPatch Plasterboard Patches in 3 simple steps.



Step 1



Step 2



Step 3



**SOME THINGS
JUST WORK
BETTER
TOGETHER**

Finish the job by covering over with Gyproc EasiFill 20

GO TO PAGE 19



04 | Taping and Jointing



Taping and Jointing

Pages 24 - 27

- Gyproc Jointing Products 24
- Joint Tapes and Beads 25 - 27

Gyproc Jointing Products



GYPROC JOINT FILLER

- Gypsum-based setting material for bulk and secondary filling of plasterboard joints
- Low shrinkage for hand application, with 60 minutes working time
- Used in stages 1 and 2 of traditional 3-stage jointing process
- Conforms to EN 13963

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200004445	12.5	JF	80	1



GYPROC QUICKSAND

- Air-drying powdered jointing material for the finishing stage
- Use over Gyproc Joint Filler in hand jointing, or for all application stages with mechanical jointing tools
- Conforms to EN 13963

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200572328	25	JC	40	1



GYPROC READY MIX JOINT CEMENT

- Air-drying ready mixed jointing material for use over Gyproc Joint Filler in hand jointing, or for all application stages with mechanical jointing tools
- Saves time by eliminating the mixing stage
- Conforms to EN 13963

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200004291	12	JC	64	1



GYPROC PROMIX LITE

- Lightweight ready mixed jointing material for use over Gyproc Joint Filler in hand jointing, or for all application stages with mechanical jointing tools
- Compatible with the majority of airless spraying equipment
- Provides excellent workability, very low shrinkage and easy sanding
- Conforms to EN 13963

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200027604	17	PM	40	1



Joint Tapes and Beads



GYPROC FIBATAPE CLASSIC

- Superior self-adhesive fibreglass mesh tape
- Ideal for both tapered and square-edge plasterboard joints
- 48mm width x 90m length

Order code	Length (m)	Discount group	Weight (kg)	Min. order qty.
5200672378	90	FT	3.48	12



GYPROC FIBATAPE PERFECT FINISH

- Self-adhesive fibreglass mesh tape with a tighter mesh weave that is 30% thinner than standard tape
- The ultra-thin tape makes it easy to conceal square and butt-edge plasterboard joints
- 48mm width x 90m length

Order code	Length (m)	Discount group	Weight (kg)	Min. order qty.
5200672379	90	FT	4.08	12



GYPROC FIBATAPE XTREME

- Self-adhesive fibreglass mesh tape with increased glue for high performance
- Extra sticky so it can perform in extreme temperatures (5 - 35°C)
- 48mm width x 90m length

Order code	Length (m)	Discount group	Weight (kg)	Min. order qty.
5200672381	90	FT	3.48	12



GYPROC FIBATAPE XTREME XTRAWIDE

- Extra wide self-adhesive fibreglass mesh tape for greater coverage
- Extra sticky so it can perform in extreme temperatures (5 - 35°C)
- 100mm width x 75m length

Order code	Length (m)	Discount group	Weight (kg)	Min. order qty.
5200877525	75	FT	3.05	6





GYPROC FIBATAPE MOLD-X

- Self-adhesive fibreglass mesh tape with mould-resistant coating
- Perfect for use on moisture-resistant boards for increased mould protection
- 48mm width x 90m length

Order code	Length (m)	Discount group	Weight (kg)	Min. order qty.
5200672380	90	FT	3.48	12



THISTLE PROTAP FT50

- Self-adhesive fibreglass mesh tape
- 48mm width x 90m length
- For reinforcing flat joints to skim finishes on plasterboard

Order code	Length (m)	Discount group	Min. order qty.
5200666421	90	JT	24



GYPROC JOINT TAPE

- Paper tape designed for reinforcing flat joints and internal angles in both manual and mechanical jointing systems
- Centre crease for easy folding when taping angles
- 48mm width x 150m length
- Conforms to EN 13963

Order code	Length (m)	Discount group	Min. order qty.
5200866392	150	JT	10



GYPROC CORNER TAPE

- Paper joint tape bonded to two corrosion resistant metal strips for reinforcing external angles
- Ideal for external angles that are not 90°
- 48mm width x 30m length
- Conforms to EN 13963

Order code	Length (m)	Discount group	Min. order qty.
5200027605	30	CT	5



GYPROC LEVELLINE CORNER TAPE

- Tough corner tape that prevents cracks and dents to joints
- Built-in flexible hinge follows any angle for clean looking, hard-wearing internal or external corners
- Extra wide to cover framing issues
- 70mm width x 30m length

Order code	Length (m)	Discount group	Min. order qty.
5200864770	30	CT	12



GYPROC AQUABEAD

- Water-activated adhesive bead for fast installation
- Provides external corner protection for plasterboards
- Ideal for high traffic areas

Order code	Length (mm)	Discount group	Min. order qty.
5200689756	2500	AB	50
5200689757	2700	AB	50
5200689758	3000	AB	50



05 Plaster and Accessories



Plasters

Pages 30 - 34

- Thistle Convenience Plasters 30
- Thistle Essential Plasters 31 - 32
- ThistlePro Plaster 33
- Easifix Plaster 34

Plaster Accessories

Pages 34 - 35

- Sealer 34
- Pre-Treatment 34
- Metal Bead 35

Thistle Convenience Plasters



THISTLE UNDERCOAT PLASTER

- Internal base coat plaster for small plastering jobs
- Ideal for smaller patch repairs or filling chases
- Comes in a water-resistant eco bag, made from 50% recycled plastic
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814639	7.5	SU	100	1
5200814644	12.5	SU	72	1



THISTLE FINISHING PLASTER

- Internal finish coat plaster for small plastering jobs and repairs
- Use over Thistle Undercoat Plaster and plasterboard
- Comes in a water-resistant eco bag, made from 50% recycled plastic
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814637	7.5	SF	100	1
5200814642	12.5	SF	72	1



THISTLE ONE COAT PLASTER

- Convenient undercoat and finishing plaster in one
- Ideal for patch repairs
- Comes in a water-resistant eco bag, made from 50% recycled plastic
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814638	7.5	SO	100	1
5200814643	12.5	SO	72	1



Thistle Essential Plasters



THISTLE BONDINGCOAT

- For low suction backgrounds such as concrete, plasterboard and surfaces treated with bonding agents (e.g. Thistle Bond-it)
- 2.75m² coverage per bag based on 11mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200006055	25	UC	56	56*



THISTLE BONDING 60

- Quick setting undercoat plaster designed for patching and general repair
- Based on Thistle BondingCoat with a 60 minute set time
- 1.1m² coverage per 10kg tub, 1.38m² coverage per 12.5kg bag and 2.75m² per 25kg bag based on 11mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200029720	10	PU	20	1
5200029719	12.5	PU	20	1
5200029718	25	UC	20	20*



THISTLE HARDWALL

- Quick drying undercoat plaster with high impact resistance – ideal for most masonry backgrounds
- Suitable for both mechanical and hand application
- 3m² coverage per bag, based on 11mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200006110	25	UC	45	45*



*Available as full pallets only. Pallets cannot be split for these products.

Thistle Essential Plasters



THISTLE MULTIFINISH

- Versatile finishing plaster, ideal for undercoat plaster and plasterboard backgrounds
- Provides a seamless finish prior to decoration
- 10m² coverage per bag based on 2mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200006058	25	FN	56	56*



THISTLE BOARDFINISH

- For low to medium suction backgrounds, such as plasterboard and cement-based undercoats
- Provides a seamless finish prior to decoration
- 10m² coverage per bag based on 2mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200006059	25	FN	56	56*



*Available as full pallets only. Pallets cannot be split for these products.

ThistlePro Plaster



THISTLEPRO MAGNETIC

- Finishing plaster that attracts magnets
- Ideal for gallery or noticeboard walls where displays are changed regularly – no fuss, no mess
- 5m² coverage per bag based on 3mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200648403	25	PF	24	1



THISTLEPRO FASTSET FINISH

- Rapid setting finishing plaster for use on undercoated plaster and plasterboard backgrounds
- Sets in just 60 minutes - to get plastering jobs done faster
- Predictable every time - no flash sets or waiting for gauges to go off
- Easy to apply and leaves a smooth finish
- 10m² coverage per bag based on 2mm thickness

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200030761	25	PF	28	1



Easifix Plaster



EASIFIX ONE COAT PLASTER

- Combined undercoat and finishing plaster
- Ideal for patching repairs
- For use on brick, block, concrete and plasterboard backgrounds
- Conforms to EN 13279-1
- Comes in a water-resistant eco bag, made from 50% recycled plastic
- 0.45m² coverage per bag, based on 13mm thickness

Order code	Size (kg)	Discount group	Min. order qty.
5200814645	5	SO	1



Sealer



ARTEX SEALER

- General purpose sealer for use on plasterboard, plaster and other porous surfaces prior to decoration
- Soon available in a grey lid eco tub, made from recycled plastic
- Up to 75m² coverage per tub, diluted

Order code	Size (litre)	Discount group	Min. order qty.
5200572315	2.5	PS	1



Pre-Treatment



THISTLE BOND-IT

- Bonding agent for pre-treatment of smooth and low suction backgrounds
- Contains aggregate to provide a mechanical and chemical key
- Apply in one coat, by roller or brush, and plaster when dry
- 45m² coverage per tub

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200572313	10	PT	48	1



Metal Bead



PLASTER ANGLE BEAD

- Galvanised steel angle bead with expanded wings
- Ideal for reinforcing external angles when using Thistle Undercoat Plaster
- Conforms to EN 13658-1

Order code	Length (mm)	Discount group	Min. order qty.
5200119675	2400	PB	25



THIN COAT MINI MESH BEAD

- A galvanised steel angle bead with mesh wings
- Ideal for reinforcing external corners when using Thistle Finishing Plaster
- Provides an excellent key
- Conforms to EN 14353

Order code	Length (mm)	Discount group	Min. order qty.
5200119674	2400	PB	25



THISTLE THIN COAT ANGLE BEAD

- A galvanised steel 'thin coat' bead with perforated 30mm wide wings
- Ideal for reinforcing external angles in 2mm plaster finishes
- Conforms to EN 13658-1

Order code	Length (mm)	Discount group	Min. order qty.
5200009020	2400	XU	50
5200009019	3000	XU	50



06 Plasterboard and Ancillaries



Plasterboard

Pages 38 - 41

- Gyproc Standard Plasterboards 38
- Gyproc Performance Plasterboards 39 - 40
- Glasroc Specialist Plasterboards 41

Adhesive

Pages 41

- Gyproc DriWall Adhesive 41

Surface Treatment

Pages 42

- Gyproc Drywall Sealer 42
- Gyproc Drywall Primer 42

GypFrame Metal

Pages 43 - 44

- GypFrame Partitioning 43
- GypLyner Wall Lining 44



Enhanced fire
performance



Enhanced acoustic
performance



Enhanced moisture
performance



Enhanced thermal
performance

Gyproc Standard Plasterboards



GYPROC WALLBOARD

- Standard gypsum plasterboard for walls and ceilings
- Complies with EN 520

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200001677	Square	9.5	900	1800	SP	100
5200001497	Square	9.5	1200	2400	SP	90
5200001015	Square	12.5	900	1800	SP	80
5200001810	Square	12.5	1200	2400	SP	72
5200011265	Tapered	9.5	900	1800	SP	100
5200001952	Tapered	9.5	1200	2400	SP	90
5200001755	Tapered	12.5	900	1800	SP	80
5200001129	Tapered	12.5	1200	2400	SP	72
5200011279	Tapered	15	1200	2400	SP	50



GYPROC HANDIBOARD

- Small and easy to transport 1.2m gypsum plasterboard
- Ideal for repair and compatible with 16" (405mm) and 24" (610mm) joist centres
- Complies with EN 520

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200011463	Square	9.5	600	1220	SP	204
5200011462	Square	9.5	900	1220	SP	102
5200011465	Square	12.5	600	1220	SP	156



Gyproc Performance Plasterboards



GYPROC FIRELINE

- Gypsum plasterboard with fire resistant additives
- Ideal for loft conversions, stairs, hallways and garages
- Conforms to EN 520 Type F Thermal

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200001919	Square	12.5	1200	2400	PE	60



Gyproc Performance Plasterboards



GYPROC SOUNDBLOC

- Gypsum plasterboard with a high density core for enhanced sound insulation performance
- Complies with EN 520 – Type D

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200027267	Tapered	12.5	1200	2400	PE	56



GYPROC MOISTURE RESISTANT

- Gypsum plasterboard with moisture resistant additives in the core
- Ideal for providing a base for tiling
- Complies with EN 520 – Type A, H1

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200001018	Tapered	12.5	1200	2400	PE	60



GYPROC HANDIBOARD MR

- Moisture resistant
- Recommended for use in areas with intermittent moisture, e.g. kitchens and bathrooms
- Complies with EN 14190

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200814633	Square	12.5	600	1200	PE	112



GYPROC WALLBOARD DUPLEX

- Backed with a vapour control membrane
- Creates a permanent barrier to stop condensation forming between cold and warm air
- Complies with EN 14190

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200001690	Square	12.5	1200	2400	PE	72




Gyproc Performance Plasterboards



GYPROC THERMALINE BASIC

- Gypsum plasterboard bonded to an expanded polystyrene insulate, providing thermal insulation
- Ideal for a basic level of thermal insulation e.g. garages or cold external walls
- Complies with EN 13950

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200002151	Tapered	22	1200	2400	PE	40



GYPROC THERMALINE PLUS

- Gypsum plasterboard with integral vapour control layers, providing an intermediate level of thermal insulation
- Provides a higher level of thermal insulation compared to Gyproc ThermaLine Basic
- Complies with EN 13950

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200002165	Tapered	27	1200	2400	PE	30



Glasroc Specialist Plasterboards



GLASROC H TILEBACKER

- Non-combustible glass-reinforced gypsum plasterboard with a pre-primed water-resistant acrylic coating on one side to receive tiling
- Ideal for areas of frequent exposure to water and moisture, including kitchens and bathrooms
- Conforms to EN 15283-1

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200028517	Square	6	1200	900	SB	32
5200028515	Square	6	1200	2400	SB	32
5200027696	Square	12.5	1200	900	SB	64
5200027693	Square	12.5	1200	2400	SB	32



Adhesive



GYPROC DRIWALL ADHESIVE

- A gypsum-based adhesive for fixing plasterboards to masonry walls
- Suitable for high, medium or low suction backgrounds
- Conforms to EN 14496

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814640	10	FA	100	1
5200009469	25	FA	56	1





GYPROC DRYWALL SEALER

- A specially formulated primer/sealer, which provides vapour control and a superior durable finish when applied in two coats
- Suitable for decoration with paints and most wall coverings
- Coverage: 150m² (1 coat), 70m² (2 coats)


Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200572330	10	ST	48	1



GYPROC DRYWALL PRIMER

- A general purpose plasterboard primer
- Provides an ideal surface for decoration with most paints and wall coverings
- Coverage: 150m² per tub

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200572329	10	ST	48	1




- GypFrame Partitioning is ideal for building non-loadbearing partitions
- Light, quick and easy to use
- Will not twist or warp



GYPFRAME 50 FEC 50 FOLDED EDGE STANDARD FLOOR & CEILING CHANNEL

- Horizontal support for floors and ceilings
- Includes a safer working edge on the lip of the channel
- Conforms to EN 14195


Order code	Length (mm)	Discount group	Min. order qty.
5200534085	3000	XV	10



GYPFRAME 48 S 50 'C' STUD

- Vertical support clicks into the channel to form a partition wall
- Includes sight lines to help board alignment and increase profile strength
- Conforms to EN 14195

Order code	Length (mm)	Discount group	Min. order qty.
5200009125	3000	XV	10




GYPFRAME FEA1 FOLDED EDGE STEEL ANGLE


- Steel angle providing framing stability and board support
- Useful for strengthening wall, ceiling and encasement framing.

Order code	Length (mm)	Discount group	Min. order qty.
5200027651	2900	XV	10



GypFrame Metal

- GypLyner Wall Lining is ideal for correcting uneven walls or adding insulation
- Can also be used for creating a void for pipes or cables

**GYPFRAME GL8 TRACK**

- A horizontal support for floors and ceilings
- GL1 Channel is positioned inside the track
- Conforms to EN 14195

Order code	Length (mm)	Discount group	Min. order qty.
5200009040	3600	XV	10

**GYPFRAME GL1 CHANNEL**

- Vertical support channel clicks into the track
- Ideal for solid brick or blockwork walls
- Conforms to EN 14195

Order code	Length (mm)	Discount group	Min. order qty.
5200004671	3000	XV	10



 **Artex** Uniquely connecting you to construction product brands

GET YOUR HANDS ON THE BEST BRANDS. QUICKLY.



WITH OUR FLEXIBLE SERVICE DELIVERY OPTIONS



Full pallet delivery
£375 MOV*

Mixed pallet delivery
£375 MOV*

Express parcel delivery
£100 MOV*

Interested in becoming a stockist?
Email artexram@saint-gobain.com for more information.

Prices Exclude VAT. Minimum Carriage Applies. Delivery Areas: UK Mainland and Highlands & Islands

Max. weight for Gyproc Express: 200kg *MOV = Minimum Order Value

07 | Cove and Accessories



Cove

Pages 48 - 49

- Gyproc Cove and Cornice 48
- Easifix Cove 49

Accessories

Pages 50


- Cove Adhesive 50
- Cove Corners 50
- Cove Mitres 50

GYPROC Cove and Cornice



GYPROC COVE 100

- Paper-faced plaster cove
- 100mm profile
- Conforms to EN 14209




Order code	Profile	Length (m)	Discount group	Pallet qty.	Min. order qty.
5200008036	C	3	CV	528 (88 cartons)	18 (3 cartons)



GYPROC COVE 127

- Paper-faced plaster cove
- 127mm profile
- Conforms to EN 14209




Order code	Profile	Length (m)	Discount group	Pallet qty.	Min. order qty.
5200008037	C	3	CV	378 (63 cartons)	18 (3 cartons)
5200008677	C	3.6	CV	360 (72 cartons)	15 (3 cartons)



GYPROC CORNICE 135

- Paper-faced plaster cornice
- 135mm profile
- Conforms to EN 14209



Order code	Profile	Length (m)	Discount group	Pallet qty.	Min. order qty.
5200008031	S	3	CO	336 (56 cartons)	18 (3 cartons)



* Delivery specifications

For cove and cornice, delivery is at kerbside. Drivers can assist with unloading but are unable to deliver into store.


For mixed pallet orders, cove and cornice are delivered on a separate pallet, due to product length and the delivery specifications above.

Easifix Cove



EASIFIX 100MM COVE

- Paper-faced plaster cove
- 100mm profile
- Conforms to EN 14209




Order code	Profile	Length (m)	Discount group	Min. order qty.
5200602174	C	2	X6	6 (1 carton)



EASIFIX 127MM COVE

- Paper-faced plaster cove
- 127mm profile
- Conforms to EN 14209



Order code	Profile	Length (m)	Discount group	Min. order qty.
5200602175	C	2	X6	6 (1 carton)



* Delivery specifications

For cove and cornice, delivery is at kerbside. Drivers can assist with unloading but are unable to deliver into store.

For mixed pallet orders, cove and cornice are delivered on a separate pallet, due to product length and the delivery specifications above.



GYPROC COVE ADHESIVE

- Adhesive for fixing Gyproc Cove and Cornice
- Comes in an eco bag, made from 50% recycled plastic

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814636	5	X4	195	1
5200814641	12.5	X4	80	1



EASIFIX PRE-MITRED CORNERS

- Pre-cut lengths of cove to make 4 corners in a room (8 pieces), removing the need to mitre
- Internal corner packs for a standard room
- Internal and external corner packs for rooms with a chimney breast
- Conforms to EN 14209

Order code	Size (mm)	Corner	Discount group	Min. order qty.
5200617531	100	Internal	X5	1
5200617295	100	Internal and external	X5	1
5200617293	127	Internal	X5	1
5200617487	127	Internal and external	X5	1



GYPROC COVE MITRE BOX

- Pack of 4
- Compatible with 100 and 127 Gyproc Cove

Order code	Suitable for	Discount group	Min. order qty.
5200180398	100, 127	TA	4 (1 pack)



EASIFIX UNIVERSAL MITRE BLOCK

- Pack of 2
- Mitre block for cutting 100mm and 127mm cove, and 135mm cornice

Order code	Suitable for	Discount group	Min. order qty.
5200605098	100, 127, 135	X5	2



LOOKING FOR
HAND TOOLS?



GO TO PAGE 79



08 | Texture

Interior Texture Pages 54

- Powder Texture 54
- Ready Mixed Texture 54

Texture Accessories Pages 55

- Texture Repair 55
- Texture Tools 55

Texture Interior Texture



ARTEX TEXTURED FINISH

- Universal texture for use on walls and ceiling
- Coverage is 6-10m² per 5kg bag and 30-50m² per 25kg bag, depending on pattern and thickness
- Conforms to EN 15824

Order code	Size (kg)	Discount group	Min. order qty.
5200572332	5	XT	1
5200572306	25	XT	1



ARTEX READY MIXED TEXTURED FINISH

- Ready mixed - use straight from the tub
- Suitable for areas exposed to humidity, such as kitchens and bathrooms
- Coverage is 8 - 12m² per tub, depending on pattern and thickness
- Soon available in a grey lid eco tub, made from recycled plastic
- Conforms to EN 15824

Order code	Size (litre)	Discount group	Min. order qty.
5200572310	5	TX	1



Texture Texture Accessories



ARTEX TEXTURE REPAIR

- Moisture-resistant patching texture
- Perfect for repairing damaged textured ceilings and walls
- Covers 2.4m² - 3.6m² depending on pattern
- Can be diluted
- Conforms to EN 15824

Order code	Size (litre)	Discount group	Min. order qty.
5200576380	1.5	TX	4



ARTEX TEXTURING BRUSH

- For creating a wide range of texturing patterns

Order code	Size (mm)	Discount group	Min. order qty.
5200110234	100 x 150	TT	1



ARTEX COMB

- For creating artistic combed patterns
- Comb length 250mm

Order code	Size (mm)	Discount group	Min. order qty.
5200112409	250	TT	1



ARTEX CAULKER

- For filling, jointing and creating smooth finishes

Order code	Size (mm)	Discount group	Min. order qty.
5200112406	250	TT	1





09 | Render



Renders

Pages 58 - 59

- Monocouche Render 58 - 59
- Stipple Coat 59

Decorative Finishes

Pages 59 - 60

- Render Finishes 59 - 60

Render Ancillaries

Pages 60

- Render Mesh Cloth 60

Monocouche Render



WEBERPRAL M

- A one coat cementitious and through-colour monocouche render
- Suitable for most types of brick and blockwork
- Available in 25kg bags

Order code	Colour		Discount group	Pallet qty.	Min. order qty.
5200845046	Chalk		RN	40	1
5200845047	Ivory		RN	40	1
5200847334	Silver Pearl		RN	40	1
5200847337	Cream		RN	40	1
5200844212	Beige		RN	40	40
5200847345	Light Beige		RN	40	40
5200847338	Limestone		RN	40	40
5200847346	Sand		RN	40	40
5200847339	Cornish		RN	40	40
5200847347	Parchment		RN	40	40
5200847348	Buff		RN	40	40
5200847340	Mushroom		RN	40	40
5200847349	Light Blue		RN	40	40
5200847350	Azure Blue		RN	40	40
5200847351	Pearl Grey		RN	40	40
5200847352	Granite Grey		RN	40	40
5200847341	Graphite		RN	40	40
5200847342	Stone Grey		RN	40	40
5200847353	Ocre Rose		RN	40	40
5200847343	Earth		RN	40	40
5200847354	Rose		RN	40	40
5200847355	Brick Red		RN	40	40
5200847344	Earth Red		RN	40	40
5200847356	Sage Green		RN	40	40

These colour representations are as close as printing techniques permit. Final selection against an actual sample is strongly recommended.

Please note

- Chalk, Ivory, Silver Pearl and Cream are stocked at Artex, however other variants will incur a longer lead time.
- We offer a mixed and full pallet service for Chalk, Ivory, Silver Pearl and Cream monocouche renders. All other variants are delivered as full pallets



Monocouche Render



WEBEREND OCR

- A pump or hand applied base coat render
- Applied in one coat, providing results equivalent to traditional two coat renders
- Ideal as a base for decorative finishes such as cullamix tyrolean and weberplast TF
- Available in 25kg bags

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200845048	25	RN	40	1



Stipple Coat



WEBEREND AID

- Polymer modified cement and sand stipple render mix
- Used as a key coat before applying an exterior render
- Includes an integral bonding agent so it requires only the addition of clean water on site

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200844209	25	RN	40	1



Render Finishes



CULLAMIX TYROLEAN

- A coloured render to be applied onto a base coat, giving an open honeycomb tyrolean finish
- Available in 25kg bags

Order code	Colour	Discount group	Pallet qty.	Min. order qty.
5200845049	White	RN	40	1
5200845050	Ivory	RN	40	1



Render Finishes



WEBERPLAST TF

- An acrylic-based ready mixed decorative finish for application in wet form that produces an even textured finish
- Suitable for application onto external render and external wall insulation systems
- Available in 15kg buckets

Order code	Colour	Discount group	Pallet qty.	Min. order qty.
5200845053	Chalk	RN	44	1
5200845054	Ivory	RN	44	1



Render Mesh Cloth



WEBER MESH CLOTH

- An open-weave glass fibre mesh cloth
- Alkaline resistant
- Roll is 1m width x 50m length

Order code	Length (m)	Discount group	Min. order qty.
5200853001	50	RN	1



LOOKING FOR
**CEMENT, MORTAR
AND CONCRETE?**



GO TO PAGE 63



10

Cement, Mortar and Concrete



Cement, Mortar and Concrete

Pages 64 - 65

- Blue Hawk Cement, Mortar and Concrete Bags 64
- Blue Hawk Quick Set Cement Buckets 65

Blue Hawk Cement, Mortar and Concrete Bags

All Blue Hawk bags and tubs are weather-resistant, durable and made from **at least 30% recycled plastic**.



BLUE HAWK QUICK SET CEMENT

- Quick-setting Portland cement for exterior and interior building projects
- Ideal for fixing brackets and for small repairs to masonry such as steps and paths
- Works under water, so also suitable for repairing ponds or drainage grates
- Conforms to EN 1504-3

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200104281	2.5	X3	300	6



BLUE HAWK MORTAR MIX

- Dry mortar mix. Includes one bag of sand and one bag of cement that can be mixed together with water to the desired consistency
- Ideal for bricklaying, pointing, concrete and masonry repairs, and laying paths or bedding slabs
- For interior and exterior use
- Conforms to EN 998-2

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200104435	5	X3	150	1
5200104872	10	X3	75	1
5200104107	20	X3	50	1



BLUE HAWK MULTI-PURPOSE CONCRETE

- General purpose concrete mix. Just add water
- Ideal for repairing drives and paths, setting posts and forming shed bases
- Conforms to EN 1504-3

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200104926	20	X3	50	1



Blue Hawk Quick Set Cement Buckets



BLUE HAWK QUICK SET CEMENT BUCKET

- Quick-setting Portland cement for exterior and interior building projects
- Ideal for fixing brackets and for small repairs to masonry such as steps and paths
- Works under water, so also suitable for repairing ponds and drainage grates
- Ready to mix in a handy tub
- Conforms to EN 1504-3

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200569595	5	X3	125	1





11 | Roofing Felt



Roofing Felt

Pages 68

- Blue Hawk Roofing Felts

68



BLUE HAWK ROOFING FELT GREEN MINERAL FINISH

- Green mineral finish roofing felt for small jobs such as garden sheds, hutches and kennels
- Suitable for pitched and pent roofs
- Conforms to EN 13707

Order code	Size (m)	Discount group	Pallet qty.	Min. order qty.
5200104740	5 (10kg)	RF	63	63
5200104718	10 (20kg)	RF	42	42



BLUE HAWK ROOFING FELT GREEN MINERAL FINISH HEAVY GRADE

- Heavy grade green mineral finish roofing felt for large garden sheds, garages, dormers, porches and small extensions
- Suitable for pitched, pent and flat roofs
- Conforms to EN 13707

Order code	Size (m)	Discount group	Pallet qty.	Min. order qty.
5200104588	10 (29kg)	RF	30	30



IN NEED OF
FILLERS?



GO TO PAGE 17



12 | Repair Kits

Repair Kits

Pages 72

- Easifix Interior Repair Kits

72

All our Easifix Repair Kit tubs are made from **75% recycled plastic**.



EASIFIX WALL REPAIR KIT

- Universal wall repair kit for plaster or plasterboard walls
- Repairs deep holes, dents and small cracks
- Contains 2 x 500g filler, sanding block, filling knife and a plasterboard repair patch, all within a handy mixing bucket
- Kit will fill up to 4m² at 2-3mm depth and repair one single socket-sized hole


Order code	Size (kg)	Discount group	Min. order qty.
5200645350	1	RK	1




EASIFIX TEXTURE REPAIR KIT

- Repairs damage to existing textured walls and ceilings
- Contains 1.5kg texture, texturing brush and mixing tool, all within a handy mixing bucket
- Repairs 1.8-3m² depending on texture design and thickness

Order code	Size (kg)	Discount group	Min. order qty.
5200645349	1.5	RK	1





13 | Access Panels

Non Fire Rated Panels

Pages 76

- Gyproc Handi-Access Panels

76

Non Fire Rated Panels



GYPROC HANDI-ACCESS PANELS

- Versatile plastic panel, which is easy to install
- For use principally in plasterboard walls where there is a need to create or maintain access to plumbing, electrical or HVAC services

Order code	Size (mm)	Discount group	Min. order qty
5200118673	235 x 150	XS	10 (1 carton)
5200118674	300 x 300	XS	10 (1 carton)



LOOKING FOR
PLASTERBOARD?



GO TO PAGE 37



A close-up photograph showing a person's hand holding a metal trowel. The trowel is being used to apply a thick, light-colored plaster or mortar to a yellow wall. The plaster is being spread in a curved motion, creating a smooth, slightly textured surface. The hand is visible on the left, with some plaster residue on the fingers. The background is a solid yellow wall.

**Pages 80 - 85**

- Cutting Tools 80
- Board Handling Equipment 80
- Metal Frame Tools 80
- Surface Preparation 81
- Cove and Texture Tools 82
- Drywall Jointing Tools 83
- Mixing Equipment 84
- Plastering and Drylining Essentials 85

Cutting Tools



GYPROC UTILITY SAW

- Extra strong blade with hard point teeth and sharp point
- Ideal for cutting service outlet holes in plasterboards
- Blade length 150mm

Order code	Size (mm)	Discount group	Min. order qty.
5200160311	150	TA	1



GYPROC REPLACEMENT KNIFE BLADES

- Box of 100 heavy-duty blades
- Blade length 60mm

Order code	Size (mm)	Discount group	Min. order qty.
5200115225	60	TA	100 (1 box)



Board Handling Equipment



GYPROC DRYWALL CART

- Minimises manual handling of plasterboard and therefore increases efficiency on site
- Vertical removable bar, manufactured from 30mm tubular steel, with two fixed(front) and two swivelling (back) polypropylene castors with rubber tyres giving excellent manoeuvrability to a limited load
- For internal use on level, even surfaces

Order code	Product	Discount group	Min. order qty.
5200115292	Gyproc Drywall Cart	TA	1
5200110080	Spare Swivel Castor (back)	TA	1
5200110081	Spare Fixed Wheel (front)	TA	1



* Gyproc Express only available for 5200110080 and 5200110081

Metal Frame Tools



GYPROC HEAVY DUTY CRIMPING TOOL

- Strong, heavy duty crimping tool, ideal for punching and locking two metal sections
- Will crimp up to 0.7mm effortlessly

Order code	Discount group	Min. order qty.
5200175109	TA	1




Surface Preparation



GYPROC BLOCK SANDER

- A general purpose plastic hand sander
- For use with Gyproc Sanding Paper

Order code	Discount group	Min. order qty.
5200110248	TA	1



GYPROC UNIVERSAL SANDER

- A die-cast metal head with universal swivel joint
- For use with Gyproc Sanding Paper
- Comes with detachable extender pole

Order code	Discount group	Min. order qty.
5200160404	TA	1



GYPROC TIMBER HANDLE SANDER

- For smoothing off jointing materials
- For use with Gyproc Sanding Paper

Order code	Discount group	Min. order qty.
5200160210	TA	1



GYPROC SANDING PAPER

- Specifically cut to suit the Gyproc range of hand and pole sanders
- 25 sheets per pack

Order code	Grit	Discount group	Min. order qty.
5200160211	P100	TA	25 (1 pack)
5200115189	P120	TA	25 (1 pack)
5200119398	P150	TA	25 (1 pack)



GYPROC UNIVERSAL POWER SANDING DISC

- Hook and Loop Backed
- Comes in a pack of 25

Order code	Grit	Discount group	Min. order qty.
5200184856	P100	TA	25 (1 pack)
5200184857	P120	TA	25 (1 pack)



Cove and Texture Tools



GYPROC COVE MITRE BOX

- Compatible with 100 and 127 Gyproc Cove

Order code	Suitable for	Discount group	Min. order qty.
5200180398	100, 127	TA	4 (1 carton)



EASIFIX UNIVERSAL MITRE BLOCK

- Mitre block for cutting 100mm and 127mm cove, and 135mm cornice

Order code	Suitable for	Discount group	Min. order qty.
5200605098	100, 127, 135	X5	2 (1 carton)



ARTEX CAULKER

- For filling, jointing and creating smooth finishes

Order code	Size (mm)	Discount group	Min. order qty.
5200112406	250	TT	1



ARTEX TEXTURING BRUSH

- For creating a wide range of texturing patterns

Order code	Size (mm)	Discount group	Min. order qty.
5200110234	100 x 150	TT	1



ARTEX COMB

- For creating artistic combed patterns
Comb length 250mm

Order code	Size (mm)	Discount group	Min. order qty.
5200112409	250	TT	1




Drywall Jointing Tools



STAINLESS STEEL JOINTING KNIFE - SOFTGRIP HANDLE

- 75mm deep, high-flex stainless steel blade set in a strong non-ferrous back plate
- SoftGrip handle provides day-long user comfort

Order code	Grit	Discount group	Min. order qty.
5200109361	250 (10")	TA	1
5200109362	300 (12")	TA	1
5200109363	350 (14")	TA	1



TEMPERED STEEL JOINTING KNIFE - SOFTGRIP HANDLE EXTRAFLEX BLUED STEEL

- 75mm deep, ExtraFlex blued steel blade set in a strong non-ferrous back plate
- SoftGrip handle provides day-long user comfort

Order code	Grit	Discount group	Min. order qty.
5200109364	200 (8")	TA	1
5200109367	350 (14")	TA	1



HAMMER HEAD JOINTING KNIFE - PLASTIC HANDLE

- Ground and polished steel blades
- Hammer head feature handle to knock back protruding nails

Order code	Grit	Discount group	Min. order qty.
5200115308	125 (5")	TA	1
5200115196	150 (6")	TA	1



HAMMER HEAD JOINTING KNIFE - SOFTGRIP HANDLE

- High-flex stainless steel blade
- SoftGrip handle featuring metallic end cap for knocking back protruding nails

Order code	Grit	Discount group	Min. order qty.
5200109387	100 (4")	TA	1
5200109381	150 (6")	TA	1



Drywall Jointing Tools



GYPROC LONG HANDLED BROAD KNIFE

- A blued steel blade and lightweight, tubular alloy shaft, for flattening joint tape and the removal of excess jointing materials
- Overall length 470mm; blade width 175mm

Order code	Size (mm)	Discount group	Min. order qty.
5200160422	175	TA	1



GYPROC BROAD KNIFE REPLACEMENT BLADES

- Replacement blade for Gyproc Long Handled Broad Knife

Order code	Size (mm)	Discount group	Min. order qty.
5200115165	175	TA	1



Mixing Equipment



GYPROC HEAVY DUTY PLASTER MIXING WHEEL

- Forged steel mixer for Thistle plaster, Gyproc adhesives and jointing materials
- Designed to minimise material build-up on bucket walls

Order code	Discount group	Min. order qty.
5200160040	TA	1



Plastering and Drylining Essentials



GYPROC BARREL APPLICATOR GUN

- Versatile applicator for use with both foil pack and solid plastic cartridges
- Integrated flow stop enables easy control of sealant during application
- Tough and durable aluminium barrel and handle
- Designed for use with Gyproc Sealant
- Suitable for 310ml, 400ml and 600ml foil packs and 310ml and 400ml cartridges

Order code	Size (mm)	Discount group	Min. order qty.
5200678058	As above	TA	1



GYPROC HEAVY-DUTY FLOOR SCRAPER

- An extremely robust scraper supplied complete with tubular steel shaft

Order code	Size (mm)	Discount group	Min. order qty.
5200115224	450 width x 125 height	TA	1



GYPROC HEAVY-DUTY FLOOR SCRAPER BLADE

- Replacement blade for Gyproc Heavy-Duty Floor Scraper

Order code	Size (mm)	Discount group	Min. order qty.
5200115223	450 width x 125 height	TA	1



GYPROC MORTAR STAND

- Purpose-made in tubular steel to support a standard mortar board at a comfortable working height
- Strong, yet lightweight; folds flat for easy transportation
- Dimensions when open: 600mm length x 600mm width x 810mm height

Order code	Size (mm)	Discount group	Min. order qty.
5200115666	As above	TA	1




GYPROC FLEXI-KNIFE

- A highly flexible jointing tool, designed for finishing obtuse angles
- Ideal when finishing loft conversions, bay windows, etc.
- Handle may be extended with a standard 25mm shaft if required

Order code	Discount group	Min. order qty.
5200160481	TA	1





15 | Service Charter

Conditions of Sale	Pages 88
• Prices	88
• Customer Care	88
• Customer Returns Procedure	88
Terms and Conditions	Pages 89 - 93

The company contracts solely upon its terms and conditions on pages 89 - 93

Prices

Prices are based on mainland deliveries within England, Wales and Scotland. All prices quoted are current prices at the time of delivery and are exclusive of VAT unless otherwise stated.

Prices are subject to change in the event of a general or specific revision. Our Trade Catalogue is not deemed an offer. The customer may place an order, the acceptance of which creates a contract binding with Artex.

Claims

Delivery Discrepancy Notification

In the unlikely event that you are not satisfied with our products due to damage on delivery, incorrect quantity or the wrong product being supplied, please raise your delivery discrepancy claim with our Customer Care Team **within 48 hours of delivery** using the contact details below. At the time of delivery, inform your delivery driver, clearly marking the fault on your delivery paperwork/EOPD. Where possible, take a photograph of the fault as well. These will be used to support your claim.

Product defects and price discrepancy

Where a product has quality defects, is not fit for purpose, or if there are documentation queries (e.g. incorrect price), please contact our Customer Care Team within 48 hours of your delivery, with photographic evidence.

Contact our Customer Care Team:

☎ 0800 032 6345 ✉ artex-claims@saint-gobain.com

Customer Returns Procedure

Goods may be returned, subject to agreement with Artex, only if:

- Goods have been damaged prior to or on delivery
- There is a quality issue with the products that needs investigating
- Artex has supplied the incorrect products. Please note that the only exception to this is where a customer has ordered a product in error
- Any requests for returns outside of the above please call our Customer Care team who will advise of costs to do so

If you request a collection with the Artex Customer Care team, the collection will take place within two weeks of the request.



1. Definitions

In these terms and conditions "Artex" shall mean Artex Limited whose registered office address is Saint-Gobain House, East Leake, Loughborough, Leicestershire, LE12 6JU and whose principal place of work is Pasture Lane, Ruddington, Nottingham, NG11 6AE, the "Goods" shall mean the products supplied or to be supplied by Artex under any Contract; "the Customer" shall mean the company, firm or person buying the Goods from Artex under any Contract and "Contract" shall mean a contract between Artex and the Customer for the sale and purchase of Goods. Any reference in these terms and conditions to any provision of a statute shall be considered as a reference to that provision as amended, re-enacted or extended at the relevant time.

2. Application of Conditions

All Goods supplied by Artex are supplied on the following terms and conditions and no variation of those terms shall have effect unless expressly accepted by a Director of Artex in writing. Artex's conditions exclude all other terms and conditions which the Customer may seek to impose whether or not the Customer's conditions are contained in any other acceptance or counter offer by the Customer.

3. Quotations

All quotations given by Artex are subject to acceptance by Artex on receipt of the Customer's order. Quotations are valid for a period of thirty days from date of issue and maybe withdrawn at anytime. A Contract will only be formed when Artex has accepted the Customer's order.

4. Price

All prices quoted are Artex's current prices at the time of delivery and are exclusive of VAT unless otherwise stated. The price payable for the Goods shall be the price ruling at the date of despatch and Artex shall be entitled to adjust the price of the Goods at any time between the date of the order and the date of delivery of the Goods to take account of any increase in costs incurred by Artex. A handling charge will be made on orders that do not meet the agreed minimum order value.

5. Delivery

5.1 Delivery shall be deemed to have been effected:

5.1.1 Where the Goods are carried in a vehicle owned by Artex or in a vehicle owned by a carrier employed by Artex, when the vehicle is stationary as near to the point of delivery designated by the Customer as it can reasonably get and the delivery note is tendered to the Customer or the recipient of the Goods where delivery is not directly to the Customer.

5.1.2 In the case of export orders, upon delivery F.O.B. to Artex's nominated port of shipment.

5.1.3 In all other cases when the Goods leave Artex's premises.

5.2 Time for delivery is not of the essence and delivery times are estimates only.

5.3 Artex shall be entitled to make delivery by instalments and to invoice separately for each instalment. Where delivery is made by instalment each instalment shall be construed as the subject of a separate agreement to which all the provisions of these conditions shall (with any necessary alterations) apply.

5.4 Where Artex has agreed to deferred delivery such delivery shall be accepted by the Customer within six months from the date of the order. If the Customer fails to take delivery within such a period the risk shall pass to the Customer and the balance remaining undelivered together with storage costs shall be invoiced to the Customer and payment shall become immediately due.

5.5 Goods which the Customer agrees to collect ex-works must be collected within seven days of Artex notifying the Customer that the Goods are ready. If the Goods are not collected within this period Artex shall be entitled to invoice the Customer for the Goods and to charge for storage of the Goods, the Goods being held at the Customer's risk.

5.6 Unless otherwise agreed in writing, all export orders will be delivered F.O.B. to an Artex nominated British port.

5.7 Deviations in quantity of the Goods delivered from those stated on the Contract shall not give the Customer the right to repudiate the Contract, to reject the Goods (save in so far as they materially exceed the amount ordered) or to claim damages for breach of Contract and the Customer shall be obliged to accept and pay at the Contract rate for the quantity delivered (except in so far as the Customer has the right to reject the Goods under this condition).

5.8 The Customer shall ensure that the point of delivery designated by the Customer and all access routes to it are reasonably accessible to motor transport and shall also take such further steps as are reasonably necessary to facilitate delivery by Artex at such point of delivery.

5.9 Where Letter of Credit is the required payment method, delivery period shall commence only upon receipt of a Letter of Credit complying in all respects with Artex's requirements.

5.10 If an import licence, permit or other authorisation is required for the importation of the Goods into the country of destination, such licence, permit or authorisation must be obtained, or will be obtained, prior to shipment.

6. Payment

6.1 The price of the Goods (less any discount to which the Customer is entitled) shall be due and payable on the last day of the month following that in which the invoice is dated. The time of payment of the price shall be of the essence of the Contract.

6.2 If the Customer fails to make payment in respect of any invoice on the due date:

6.2.1 All invoices for Goods delivered for which payment has not been received shall become immediately due and payable not withstanding clause 6.1 or any previous agreement to the contrary.

6.2.2 Without prejudice to any other right or remedy available to Artex, Artex shall be entitled to:

6.2.2.1 Charge the Customer interest (both before and after judgement) on the amount unpaid in accordance with the terms of the Late Payment of Commercial Debt (interest) Act 1998 until actual payment on all overdue accounts; and / or

6.2.2.2 Cancel the Contract or suspend further deliveries to the Customer; and / or

6.2.2.3 Set-off any amounts Artex owes to the Customer by way of rebate payments, contract support payments or any other monies due from Artex to the Customer against any monies owed by the Customer to Artex.

6.3 Artex reserves the right at any time to demand a security payment before continuing with or delivering any order.

6.4 The Customer shall make all payments due under the Contract without any deduction whether by way of set-off, counterclaim, discount, abatement or otherwise unless the Customer has a valid court order requiring an amount equal to such deduction to be paid by Artex to the Customer.

6.5 Artex will make a search with a credit reference agency, which will keep a record of that search and the credit reference agency and/or Artex will share that information with other businesses. Artex will also make enquiries about the principle directors with a credit reference agency. Artex will monitor and record information relating to the Customer's trade performance and such records will be made available to credit reference agencies and other businesses in assessing applications for credit and fraud prevention. If the Customer does not want Artex carrying out such a search or sharing data, please do not complete an account application form. To the extent that the Customer supplies sensitive information then it will be kept in accordance with the Data Protection Act.

7. Risk and Property

7.1 Risk in the Goods shall pass to the Customer when the Goods are delivered to or collected by the Customer or its agent.

7.2 Notwithstanding delivery and the passing of risk in the Goods the Goods shall remain the property of Artex until the Customer has paid the full price for the Goods and all other sums owing to Artex under any Contract together with any interest payable under any Contract in respect of the Goods.

7.3 Until title in the Goods passes to the Customer the Customer holds the Goods as fiduciary agent and bailee for Artex and shall hold the Goods in good and substantial repair and condition properly stored in and protected and insured and the Goods shall be stored in such a way as to be clearly identifiable as belonging to Artex.

7.4 Until such time as the title in the Goods passes to the Customer (and provided the Goods are still in existence and have not been re-sold) Artex shall be entitled at any time to require the Customer to deliver up the Goods to Artex and if the Customer fails to do so forthwith to

enter upon any premises of the Customer or any third party where the Goods are stored and repossess the Goods.

7.5 Artex shall at any time be entitled to appropriate any payment made by the Customer in respect of any Goods in settlement of such invoices as Artex may in its absolute discretion think fit not withstanding any purported appropriation by the Customer.

8. Inspection

8.1 The Customer shall inspect the Goods on delivery or on collection as the case may be.

8.2 Artex shall be under no liability for any defects or shortages that would be apparent on careful inspection if the terms of this Clause are not complied with and in any event will be under no liability if a written complaint is not delivered to Artex within seven days of delivery detailing the alleged defect or shortage.

8.3 In all cases where the Customer complains of defects or shortages Artex shall, without prejudice to the question of liability generally, be under no liability in any event if it has not been given an opportunity to inspect the Goods before they had been used by the Customer.

9. Warranty

9.1 Artex warrants that it has title to and the right to sell the Goods.

9.2 No representation or warranty is given by Artex as to the suitability or fitness of the Goods for any or any particular purpose and the Customer shall satisfy himself in this respect and shall be totally responsible therefore.

9.3 The Service Charter should be read in conjunction with these Conditions of Sale. In the event of a conflict between the Service Charter and these Conditions of Sale then the terms of the Service Charter shall apply.

10. Items supplied by the Customer

The Customer shall be liable for all drawings, specifications and instructions issued to Artex with orders or pursuant to the Contract and shall indemnify and keep indemnified Artex against all loss directly or indirectly arising out of any error or omission from such drawings, specifications or instructions, and against all costs, claims, demands and expenses whatsoever, in respect of the infringement, or possible infringement, of any patent, copyright, registered design, design right or other third party right arising out of Artex's use of such drawings, specifications or instructions.

11. Liability Exclusions

11.1 Each of the sub-clauses in this clause are to be treated as separate and independent.

11.2 Nothing in these conditions shall exclude or restrict Artex's liability for death or personal injury caused by the negligence of Artex.

11.3 Artex is willing to undertake liability additional to that provided by this clause 11 in exchange for a higher price for the Goods.

11.4 Artex will either repair the Goods at its own expense or at its option replace the Goods if any defects which Artex is reasonably satisfied are caused by faulty design, manufacture, materials or workmanship provided that Artex shall not be liable for defects caused by abnormal use, misuse or neglect or use other than in accordance with any applicable Artex technical instructions or similar literature and provided further that the Customer informs Artex of the relevant defect in writing within seven working days of delivery (or where the defect was not apparent on reasonable inspection) within seven working days of discovering it.

11.5 Other than the terms set out in these conditions no other terms, conditions or warranties expressed or implied, statutory or otherwise, shall form part of the Contract.

11.6 Artex shall not be liable for any indirect loss or damage, loss of profit, loss of goodwill or loss of business opportunity suffered by the Customer or any indirect damage to property of the Customer or anyone else whatsoever howsoever arising and whether or not caused by Artex's negligence.

11.7 In the event that notwithstanding the foregoing provisions of this clause, Artex is found liable for any loss or damage suffered by the Customer then Artex's total liability for any one claim or for the total of all claims arising from any one act or default of Artex (whether arising from Artex's negligence or otherwise) shall not in any event exceed the Contract price for the Goods.

12. Insolvency of Customer

If the Customer being a company shall pass a resolution or suffer an order of a court to be made for its winding up or goes into liquidation (other wise than for the purpose of amalgamation or reconstruction) or makes any voluntary arrangement with its creditors or becomes subject to an administration order or an encumbrancer takes possession or a receiver or administrative receiver is appointed over any of the assets or property of the Customer or being an individual or partnership shall suspend payment or propose to enter into any composition with creditors or becomes bankrupt or in either case becomes unable to pay its debts (or have no reasonable prospect of doing so) or threatens to cease to carry on business then without prejudice to any other right or remedy available to Artex, Artex shall be entitled to treat the Contract as repudiated or suspend any further deliveries or recover the possession of any Goods for which payment in full has not been received without liability to the Customer and if Goods have been delivered but not paid for the price of those Goods shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.

13. Sample Goods

Under no circumstances will Artex sell its Goods by sample and their supply of sample Goods to Customers or prospective Customers is not intended to provide them with a contractual specification of the Goods or to constitute a sale or offer of sale by sample.

14. Health & Safety at Work

Artex gives notice to the Customer that information and product literature is available concerning the conditions necessary to ensure that the Goods supplied against the Contract will be safe and without risk to health when used, handled, processed, stored or transported by a person at work. The Customer should immediately contact Artex if he is not in possession of such information or literature.

15. Assignment

The Customer shall not assign or transfer or purport to assign or transfer any Contract to which these conditions apply or the benefit thereof to any other person whatsoever.

16. Force Majeure

Artex shall not be liable for any failure to deliver the Goods arising from circumstances outside Artex's control including for example acts of god, war, riot, explosion, abnormal weather, fire, flood, pandemic, strikes, lock outs, Government action or Regulation (UK or otherwise) delays by suppliers, accidents and shortages of materials, labour or manufacturing facilities.

17. Cancellation

No cancellation by the Customer is permitted unless expressly agreed by Artex in writing. In the event of a cancellation, the Customer shall pay the appropriate cancellation charge as set out in the Ordering and delivery guide under the section titled Order cancellation.

18. Notices

Any notice to be given hereunder shall be in writing and shall be deemed to have been duly given if sent or delivered to Artex at its address (given above) or such other address as that party may from time to time notify in writing and shall be deemed to have been served and sent by post 48 hours after posting.

19. Group Members

Artex is part of the Saint-Gobain group of companies and may perform any of its obligations or exercise any of its rights hereunder by itself or through any other member of its group, provided that any act or omission of any such member shall be deemed to be the act or omission of Artex.

20. Rights of Third Parties

Subject to clause 19, the parties do not intend that any term of the Contract will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person who is not a party to it.

21. Waiver

No waiver by Artex of any breach of the Contract by the Customer shall be considered as a waiver of any subsequent breach of the same or any other provision.

22. Jurisdiction

All Contracts between Artex and the Customer shall be governed and constructed in accordance with English law and all disputes arising in relation to such Contracts shall be submitted to the jurisdiction of the English courts save that Artex retains the right to take proceedings in any other court of competent jurisdiction.

23. Headings

Headings in these conditions are for ease of reference only and do not form part of the conditions and shall not be deemed to alter or affect the meaning of any of the conditions.

24. Bribery Act Compliance

The Customer shall ensure that in any dealings with Artex, neither it or its employees or agents shall commit any offence under the Bribery Act 2010 ("the Act") including not engaging in any activity, practice or conduct which would constitute an offence under sections 1, 2 or 6 of the Act. The Customer shall inform Artex immediately it becomes aware of any actions between the parties that could constitute an offence under the Act.

25. Sanctions Compliance

It is Artex and its group's policy to comply with all applicable sanctions and legal requirements for the import and export of goods, technology and services. Artex is committed to ensuring compliance with all regulatory and licensing requirements relating to international trade.

Artex does not permit the supply of any of its Goods to any individuals, companies or organisations that are subject to any trade, economic or financial sanctions, embargoes or similar restrictive measures administered, enacted or enforced by the UK, EU, UN or USA ("Sanctioned Entities"). By entering in to this Contract the Customer agrees not to re-sell or otherwise transfer the Goods, either directly or indirectly, to any Sanctioned Entities.

26. Export terms

26.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms shall have the same meaning in these Conditions, but if there is any conflict between the provisions of Incoterms and these Conditions, these Conditions shall prevail.

26.2 Where the Goods are supplied for export from the United Kingdom, the provisions of this Condition 26 shall (subject to any special terms agreed in writing between the Customer and Artex) apply notwithstanding any other provision of these Conditions.

26.3 The Customer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and for the payment of any duties on them.

26.4 Where Artex agrees with the Customer that it will be responsible for delivering the Goods the Goods shall (unless agreed otherwise in writing between Artex and the Customer) be delivered FOB to the air or sea port of shipment and Artex shall be under no obligation to give notice under s.32(3) of the Sale of Goods Act 1979.

26.5 The Customer shall be responsible for arranging for testing and inspection of the Goods at Artex's premises before shipment. Artex shall have no liability for any claim in respect of any defect in the Goods which would be apparent on inspection and which is made after shipment, or in respect of any damage during transit.

26.6 The Customer shall be liable for and shall indemnify and hold Artex harmless from any and all liability, loss, claims, damages and costs, which Artex may sustain or incur, arising out of or in any way connected with the Customer's failure to comply with Conditions 26.3 or 25.

27. Data Protection

27.1 For the purposes of this clause 27, (a) "Data Protection Laws" means (i) to the extent that the UK GDPR applies, the law of the United Kingdom or of a part of the United Kingdom which relates to the protection of personal data; (ii) to the extent that EU GDPR applies, the law of the European Union or any member state of the European Union to which Artex is subject, which relates to the protection of personal data, in each case as updated, amended or replaced from time to time; (b) "EU GDPR" means the General Data Protection Regulation ((EU) 2016/679), as it has effect in EU law; (c) "UK GDPR" has the meaning given to it in section 3(10) (as supplemented by section 205(4)) of the Data Protection Act 2018; and (d) the terms "Data Subject", "Personal Data", "processing", "processor" and "controller" shall have the meanings set out in the UK GDPR.

27.2 Each party shall comply with the provisions and obligations imposed on it by the Data Protection Laws when processing Personal Data in connection with these terms and conditions. Such processing shall continue for so long as these terms and conditions are in force and shall be in respect of the following:

27.2.1 Categories of data: Contacts within each of the parties and the ultimate customer details;

27.2.2 Types of personal data: names, addresses, email addresses, telephone numbers and other contact details;


27.2.3 Purpose and nature of processing: (i) manage the Contracts between the parties including ordering, fulfilment and billing and (ii) fulfilment of such Contracts by delivering Goods to the ultimate customer on behalf of the Customer.

27.3 To the extent that a party processes any Personal Data on behalf of the other party, the processing party shall:

(a) comply with the provisions and obligations imposed on a processor by the UK GDPR, including the stipulations set out in Article 28(3)(a) - (h) which form a part of, and are incorporated into, these terms and conditions as if they were set out in full, and the reference to "documented instructions" in Article 28(3) (a) shall include the provisions of these terms and conditions; and (b) not disclose any Personal Data to any Data Subject or to a third party other than at the written request of the other party or as expressly provided for in these terms and conditions.

27.4 The Customer agrees that Artex may engage third party providers including any advisers, contractors, or auditors to Process Personal Data ("Sub-Processors"). Artex shall ensure that its contract with each Sub-Processor shall impose obligations in relation to the Processing of Personal Data on the Sub-Processor that are materially equivalent to the obligations to which Artex is subject to under these terms and conditions in relation to the Processing of Personal Data.

27.5 If either party receives any complaint, notice or communication which relates to the processing of Personal Data by the other party or to either party's compliance with the Data Protection Laws, or if any Personal Data processed in connection with these terms and conditions is subject to a personal data breach (as defined in the UK GDPR), it shall immediately notify the other party and provide the other party with reasonable co-operation and assistance in relation to any such complaint, notice, communication or personal data breach.



Artex Ltd

Head Office
Pasture Lane
Ruddington
Nottingham NG11 6AE

artexltd.com

0800 032 6345

©Artex November 2022

